



PROTEAN HYDRAULIC OIL PAO 68 **TF7500**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: PROTEAN HYDRAULIC OIL PAO 68

Article number: TF7500

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Lubricating Oil

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: TYGRIS Industrial

Unit 31

Kyle Road Industrial Estate

Irvine Ayshire KA12 8LE

Tel +44 (0) 1294 311 066 Fax +44 (0) 1294 277 115

Email technical@tygrisindustrial.com

Further information obtainable from:

Technical Department

1.4 Emergency telephone

number:

Tel +44 (0) 1294 311 066

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: This product has no classification under CLP.

2.2. Label elements

Label elements: This product has no label elements.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

31 Kyle Road, Irvine KA12 8LE

technical@tygrisindustrial.com

Tel: +44 (0) 1294 311 066

SECTION 3: Composition/information on ingredients

3.2. Mixtures





PROTEAN HYDRAULIC OIL PAO 68 TF7500

SECTION 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water. Do not induce vomiting. Consult a doctor.

Inhalation: Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

Inhalation: Not applicable.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special

treatment:

Not applicable.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to

cool containers. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

5.3. Advice for firefighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers

leakside up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

31 Kyle Road, Irvine KA12 8LE

technical@tygrisindustrial.com

Tel: +44 (0) 1294 311 066

6.4. Reference to other sections

Reference to other sections Refer to section 8 of SDS.





PROTEAN HYDRAULIC OIL PAO 68 TF7500

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling requirements: Avoid direct contact with the substance.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep away from sources of ignition. Keep

container tightly closed

Suitable packaging Not applicable.

7.3. Specific end use(s)

Specific end use(s): Lubricating Oil.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC: No data available.

8.2. Exposure controls

Engineering measures: Not applicable.

Respiratory protection: Respiratory protection not required.

Hand protection:Protective gloves.Eye protection:Safety glasses.Skin protection:Protective clothing.

Environmental: No special requirement.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Oil

Colour:ColourlessOdour:OdourlessSolubility in water:Insoluble

Flash point°C: >150
Autoflammability°C: >200
Relative density: 0.85 - 0.87

9.2. Other information

Other information: Not applicable.

31 Kyle Road, Irvine KA12 8LE

technical@tygrisindustrial.com

Tel: +44 (0) 1294 311 066





PROTEAN HYDRAULIC OIL PAO 68 TF7500

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Sources of ignition. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

Inhalation: Not applicable.

Delayed / immediate effects: Continuous skin contact may cause skin sensitivity and dermatitis.

31 Kyle Road, Irvine KA12 8LE

technical@tygrisindustrial.com

Tel: +44 (0) 1294 311 066

Other information: Not applicable.





PROTEAN HYDRAULIC OIL PAO 68 TF7500

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability:

Biodegradable in part only.

12.3. Bioaccumulative potential

Bioaccumulative potential: Slightly bioaccumulable.

12.4. Mobility in soil

Mobility: Insoluble in water. Floats on water. Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations:Transfer to a suitable container and arrange for collection by specialised disposal

company.

Recovery operations: Not applicable.

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

SECTION 14: Transport information

Transport class: This product does not require a classification for transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical safety assessment





PROTEAN HYDRAULIC OIL PAO 68 **TF7500**

SECTION 16: Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and

shall be used only as a guide. This company shall not be held liable for any damage

resulting from handling or from contact with the above product.

