

#### 000003000428

Version 3.2	Revision Date 29.09.2023	Print Date 29.09.2023

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Product name	ENDURATEX <sup>™/MC</sup> EP 220
Product code	: ENT320ICT, ENT220P5R, ENT220P20, ENT220IBC, ENT220DRR, ENT220DRM, ENT220DCT, ENT220, ENT220BLK

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	:	ENDURATEX EP oils are heavy duty extreme pressure gear oils for use in enclosed industrial gear drives operating under normal, heavy, or shock loading conditions. They are also recommended for lubricating plain or anti-friction bearings running under heavy or shock loading conditions.
		ranning ander neavy or encouried and contailore.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer or supplier's details

Telephone	Petro-Canada Europe Lubricants Limited 3rd Floor, 1 Ashley Road Altrincham Cheshire WA14 2DT United Kingdom : +44 (0) 121 781 7264	
E-mail address of person	: EUSDS@hfsinclair.com	

responsible for the SDS

#### **1.4 Emergency telephone number**

Emergency telephone	: CHEMTREC: +1-703-741-5970;
number	Poison Control Centre: Consult local telephone directory for
	emergency number(s).

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.



#### 000003000428

Version 3.2

Revision Date 29.09.2023

Print Date 29.09.2023

#### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Index-No.		
	Registration number		
Lubricating oils (petroleum), C15-	72623-86-0	Asp. Tox. 1; H304	20 - 30
30, hydrotreated neutral oil-based;	276-737-9		
Baseoil — unspecified	649-482-00-X		
	01-2119474878-16-		
	0001		
Amines, C10-14-tert-alkyl		Acute Tox. 4; H302	0.025 - 0.1
	701-175-2	Acute Tox. 3; H311	
		Acute Tox. 2; H330	
		Skin irr. 1B; H314	
		Eye Dam. 1; H318	
		Skin Sens. 1A; H317	
		STOT SE 3; H335	
		(Respiratory Tract)	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	
		H410	

For explanation of abbreviations see section 16.

:

:

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

If inhaled

Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.

In ca	ase	e of	skir	n co	ntact		

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license. In case of contact, immediately flush skin with plenty of water



In case of eye contact	Revision Date 29.09.2023 for at least 15 minutes while removir and shoes. Wash skin thoroughly with soap and skin cleanser. Wash clothing before reuse. Seek medical advice.	-
In case of eve contact	and shoes. Wash skin thoroughly with soap and skin cleanser. Wash clothing before reuse.	-
In case of eve contact	Wash skin thoroughly with soap and skin cleanser. Wash clothing before reuse.	water or use recognized
In case of eve contact	skin cleanser. Wash clothing before reuse.	water of use recognized
In case of eve contact	Wash clothing before reuse.	
In case of eve contact	Seek medical advice.	
In case of eve contact		
	: Remove contact lenses.	
	Rinse immediately with plenty of wat	er, also under the eyelids,
	for at least 15 minutes.	
	Obtain medical attention.	
If swallowed	: Rinse mouth with water.	
	DO NOT induce vomiting unless dire	ected to do so by a
	physician or poison control center. Never give anything by mouth to an	
	Seek medical advice.	
Risks	: First aider needs to protect himself.	
Indication of any immediate m	nedical attention and special treatmen	it needed
Treatment	: Treat symptomatically.	
ECTION 5: Firefighting meas	ures	
I Extinguishing media		
Suitable extinguishing media	: Use extinguishing measures that are circumstances and the surrounding e	
Unsuitable extinguishing	: No information available.	
media		
2 Special hazards arising from t	he substance or mixture	
	Cool closed containers our secol to f	re with water spray
Specific hazards during firefighting	: Cool closed containers exposed to fi	ne with water spray.

#### 5.3 Advice for firefighters

Further information	:	Prevent fire extinguishing water from contaminating surface
		water or the ground water system.

combustion.



#### 000003000428

Version 3.2	Revision Date 29.09.2023	Print Date 29.09.2023

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent unauthorized personnel. Only qualified personnel equipped with suitable pro equipment may intervene.

#### **6.2 Environmental precautions**

Environmental precautions	:	Do not allow uncontrolled discharge of product into the
		environment.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	<ul> <li>Prevent further leakage or spillage if safe to do so.</li> <li>Remove all sources of ignition.</li> <li>Soak up with inert absorbent material.</li> <li>Non-sparking tools should be used.</li> <li>Ensure adequate ventilation.</li> <li>Contact the proper local authorities.</li> </ul>
-------------------------	---

#### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Advice on protection against fire and explosion	:	None known.
Hygiene measures	:	Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash face, hands and any exposed skin thoroughly after handling.



#### 000003000428

Version 3.2	Revision Date 29.09.2023	Print Date 29.09.2023
7.2 Conditions for safe storage,	including any incompatibilities	
Requirements for storage areas and containers	: Store in original container. Containe be carefully resealed and kept uprig Keep in a dry, cool and well-ventila labelled containers. To maintain pro in heat or direct sunlight.	ght to prevent leakage. ted place. Keep in properly
7.3 Specific end use(s)		
Specific use(s)	: No data available	

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### Engineering measures

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Personal protective equipment

Eye/face protection	:	Wear face-shield and protective suit for abnormal processing problems.
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton <sup>®</sup> .
Remarks	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Filter type	:	organic vapour filter
Protective measures	:	Wash contaminated clothing before re-use.



#### 000003000428

Version 3.2

Revision Date 29.09.2023

Print Date 29.09.2023

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state		viscous liquid
Colour	:	amber
Odour	:	Mild petroleum oil like.
Odour Threshold	:	No data available
Pour point	:	-33 °C
Boiling point/boiling range	:	No data available
Flash point	:	252 °C Method: Cleveland open cup
Fire Point	:	No data available
Auto-Ignition Temperature	:	No data available
Evaporation rate	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.8805 kg/l (15 °C)
Solubility(ies) Water solubility	:	insoluble



#### 000003000428

Version 3.2	Revision Date 29.09.2023	Print Date 29.09.2023
Partition coefficient: n- octanol/water	: No data available	
Viscosity Viscosity, kinematic	: 215 cSt (40 °C)	
	19.4 cSt (100 °C)	
Flammability	: Low fire hazard. This material mus will occur.	t be heated before ignition
Explosive properties	: Do not pressurize, cut, weld, braze expose containers to heat or source	
9.2 Other information		
No data available		

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous rea	actio	ns
I lamanda ya wa astiswa		

Hazardous reactions	:	Hazardous polymerisation does not occur.Stable under normal conditions.
10.4 Conditions to avoid		
Conditions to avoid	:	No data available
10.5 Incompatible materials		
Materials to avoid	:	Reactive with oxidising agents.
10.6 Hazardous decomposition	orod	ucts
Hazardous decomposition products	:	May release COx, NOx, SOx, POx, H2S, hydrocarbons, methacrylate monomers, asphyxiants, smoke and irritating vapours when heated to decomposition.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Information on likely routes of	:	Eye contact
exposure		Ingestion
		Inhalation



#### 000003000428

sion 3.2	Revision Da	ite 29.09.2023	Print Date 29.09.
	Skin contact		
Acute toxicity			
Not classified due to lack of	data.		
Product:			
Acute oral toxicity	: Remarks: No	o data available	
Acute inhalation toxicity	inhalation to	: The substance or mixt xicity o data available	ure has no acute
Acute dermal toxicity	toxicity	: The substance or mixt o data available	ure has no acute dermal
Components:			
Lubricating oils (petroleu unspecified:	i), C15-30, hydrot	reated neutral oll-base	ed; Baseoli —
Acute oral toxicity	: LD50 (Rat):	> 5,000 mg/kg	
Acute inhalation toxicity	: LC50 (Rat): Exposure tin Test atmosp		
Acute dermal toxicity	: LD50 (Rabbi	it): > 2,000 mg/kg	
Skin corrosion/irritation			
Not classified due to lack of	data.		
Product:			
Remarks	: No data avai	ilable	
Serious eye damage/eye i	ritation		
Not classified due to lack of	data.		
Product:			
Remarks	: No data avai	ilable	
Respiratory or skin sensit	sation		
Skin sensitisation: Not class Respiratory sensitisation: N			
Germ cell mutagenicity Not classified due to lack of	data		
	Jald.		
Carcinogenicity	lata		
Not classified due to lack of <b>Product:</b>	data.		



#### 000003000428

Version 3.2	Revision Date 29.09.2023	Print Date 29.09.2023
Remarks :	All components listed in Annex VI to whic and contained in the product, have been less than 3% DMSO extractables as mea	shown to contain
Reproductive toxicity		
Not classified due to lack of data.		
STOT - single exposure		
Not classified due to lack of data.		
STOT - repeated exposure		
Not classified due to lack of data.		
Aspiration toxicity		
Not classified due to lack of data.		
Aspiration toxicity		
Not classified due to lack of data.		

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
Lubricating oils (petroleum)	), C <sup>,</sup>	15-30, hydrotreated neutral oil-based; Baseoil —
	), C <sup>.</sup> :	<b>15-30, hydrotreated neutral oil-based; Baseoil —</b> NOEC (Fish): > 100 mg/l Exposure time: 96 h
Lubricating oils (petroleum) unspecified: Toxicity to fish	:	NOEC (Fish): > 100 mg/l

#### 12.2 Persistence and degradability

#### Product:



#### 000003000428

000003000428		
Version 3.2	Revision Date 29.09.2023	Print Date 29.09.202
Biodegradability	: Remarks: No data available	
<b>12.3 Bioaccumulative potential</b> No data available		
<b>2.4 Mobility in soil</b> No data available		
2.5 Results of PBT and vPvB ass	sessment	
Product:		
Assessment	<ul> <li>This substance/mixture contains no to be either persistent, bioaccumulat very persistent and very bioaccumulat 0.1% or higher.</li> </ul>	ive and toxic (PBT), or
2.6 Other adverse effects		
No data available		
SECTION 13: Disposal conside	erations	
3.1 Waste treatment methods		
Product	<ul> <li>The product should not be allowed to courses or the soil.</li> <li>Offer surplus and non-recyclable sol disposal company.</li> <li>Waste must be classified and labelle disposal.</li> <li>Send to a licensed waste management</li> </ul>	utions to a licensed
	Dispose of product residue in accord of the person responsible for waste of	lance with the instructions

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.



#### 000003000428

Version 3.2		Revision Date 29.09.2023	Print Date 29.09.2023	
14.4 Packing group				
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards				
Not regulated as a dangerous good				
<b>14.6 Special precautions for u</b> Not applicable	iser			
14.7 Maritime transport in bulk according to IMO instruments				
Remarks	:	ADR: Not Regulated ADN: Not Regulated RID: Not Regulated		

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

The components of this product are reported in the following inventories:			
DSL	:	On the inventory, or in compliance with the inventory	
TSCA	•	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.	
IECSC	:	On the inventory, or in compliance with the inventory	
NZIoC	:	On the inventory, or in compliance with the inventory	
	:	HSNO: HSR002605, Lubricants (Low Hazard) Group	



### ENDURATEX <sup>™/MC</sup> EP 220

#### 000003000428

Version 3.2

Revision Date 29.09.2023 Print Date 29.09.2023

Standard 2020

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

#### **SECTION 16: Other information**

Full toxt of U.Statomonte

Full	text of H-Statements		
H30	2 :		Harmful if swallowed.
H304	÷ :		May be fatal if swallowed and enters airways.
H31 <sup>-</sup>	:		Toxic in contact with skin.
H314	¥ :		Causes severe skin burns and eye damage.
H31	? · · · · · · · · · · · · · · · · · · ·		May cause an allergic skin reaction.
H318	3 :		Causes serious eye damage.
H33(	) :		Fatal if inhaled.
H33	5 :		May cause respiratory irritation.
H40	) :		Very toxic to aquatic life.
H410	) :		Very toxic to aquatic life with long lasting effects.
Full	text of other abbreviations	5	
Acut	e Tox.		Acute toxicity

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Eye Dam.	: Serious eye damage/eye irritation
Skin irr.	: Skin corrosion/irritation
Skin Sens.	: Skin sensitisation
STOT SE	: Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Internet: lubricants.petro-canada.com/sds Page: 12 / 13



#### 000003000428

Version 3.2

Revision Date 29.09.2023

Print Date 29.09.2023

Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

For Copy of SDS	<ul> <li>Internet: lubricants.petro-canada.com/sds</li> <li>Order Email for packed goods: pcepackage@hfsinclair.com</li> <li>Order Email for bulk: pceorders@hfsinclair.com</li> <li>Telephone: +31 88313 0365 / +31 88313 0366</li> <li>For Product Safety Information: 1 905-491-0565</li> </ul>

Prepared by : Product Safety: +1 905-491-0565

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN