

000003000525

|--|

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name	:	SYNDURO TM/MC SHB 150
Product code	:	SYND150P20, SYND150DRM, SYND150, SYND150DCT

1.2 Relevant identified uses of the substance or mixture and uses advised against

chemically active gases such as chlorine or hydrogen	Use of the Substance/Mixture	chloride. DO NOT USE in breathing air apparatus or medical
--	---------------------------------	--

1.3 Details of the supplier of the safety data sheet

Manufacturer or supplier's details	
	Petro-Canada Europe Lubricants Limited 3rd Floor, 1 Ashley Road
	Altrincham Cheshire WA14 2DT
Telephone :	United Kingdom +44 (0) 121 781 7264
E-mail address of person : responsible for the SDS	EUSDS@hfsinclair.com

1.4 Emergency telephone number

Emergency telephone	:	CHEMTREC: +1-703-741-5970;
number		Poison Control Centre: Consult local telephone directory for
		emergency number(s).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)



000003000525

Version 4.1

Revision Date 03.10.2023

Print Date 03.10.2023

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Distillates (petroleum),	64742-54-7	Asp. Tox. 1; H304	20 - 30
hydrotreated heavy paraffinic;	265-157-1		
Baseoil — unspecified	649-467-00-8		
	01-2119484627-25-		
	0055		
Lubricating oils (petroleum), C15-	72623-86-0	Asp. Tox. 1; H304	20 - 30
30, hydrotreated neutral oil-based;	276-737-9		
Baseoil — unspecified	649-482-00-X		
	01-2119474878-16-		
	0001		
Lubricating oils (petroleum), C20-	72623-87-1	Asp. Tox. 1; H304	20 - 30
50, hydrotreated neutral oil-based;	276-738-4		
Baseoil — unspecified	649-483-00-5		
-			
Benzenamine, N-phenyl-, reaction	68411-46-1	Aquatic Chronic 3;	1 - 2.5
products with 2,4,4-	270-128-1	H412	
trimethylpentene		Repr. 2; H361f	
For explanation of abbreviations co	a agation 16	•	÷

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	:	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse.



Version 4.1		Revision Date 03.10.2023	Print Date 03.10.2023
		Seek medical advice.	
In case of eye contact	:	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.	
If swallowed	:	Rinse mouth with water. DO NOT induce vomiting unless direct physician or poison control center. Never give anything by mouth to an u Seek medical advice.	-
4.2 Most important symptoms ar	nd e	effects, both acute and delayed	
Risks	:	First aider needs to protect himself.	
Treatment	sur	Treat symptomatically.	
SECTION 5: Firefighting meas	sur		
SECTION 5: Firefighting meas	sur		
SECTION 5: Firefighting meas		es Use extinguishing measures that are	
SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media Unsuitable extinguishing media	:	es Use extinguishing measures that are circumstances and the surrounding e No information available.	
SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media Unsuitable extinguishing media	:	es Use extinguishing measures that are circumstances and the surrounding e No information available.	nvironment.
 SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2 Special hazards arising from Specific hazards during 	: : the	Use extinguishing measures that are circumstances and the surrounding e No information available.	e with water spray.
 SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2 Special hazards arising from Specific hazards during firefighting Hazardous combustion 	: : the	es Use extinguishing measures that are circumstances and the surrounding e No information available. e substance or mixture Cool closed containers exposed to fir Carbon oxides (CO, CO2), smoke an	e with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Ensure adequate ventilation.
		Evacuate personnel to safe areas. Material can create slippery conditions.



000003000525			
Version 4.1	Revision Date 03.10.2023	Print Date 03.10.2023	
	Mark the contaminated area with signs and unauthorized personnel. Only qualified personnel equipped with suit equipment may intervene.		
6.2 Environmental precautions			
Environmental precautions :	Do not allow uncontrolled discharge of proceeding	duct into the	
	If the product contaminates rivers and lake respective authorities.	s or drains inform	
6.3 Methods and material for containment and cleaning up			
Methods for cleaning up :	Prevent further leakage or spillage if safe to Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.	o do so.	

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Advice on protection against fire and explosion	:	None known.
Hygiene measures	:	Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash face, hands and any exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Store in original container. Containers which are opened must
areas and containers		be carefully resealed and kept upright to prevent leakage.
		Keep in a dry, cool and well-ventilated place. Keep in properly
		labelled containers. To maintain product quality, do not store
		in heat or direct sunlight.



000003000525

Version 4.1

Revision Date 03.10.2023

Print Date 03.10.2023

7.3 Specific end use(s)

Specific use(s)

: No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment					
Eye/face protection	:	Wear face-shield and protective suit for abnormal processing problems.			
Hand protection					
Material	•	neoprene, nitrile, polyvinyl alcohol (PVA), Viton [®] .			
Remarks	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.			
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.			
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.			
Filter type	:	organic vapour filter			
Protective measures	:	Wash contaminated clothing before re-use.			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

		-
Physical state	: viscous liqu	uid

Colour : Pale yellow Internet: lubricants.petro-canada.com/sds



000003000525

sion 4.1		Revision Date 03.10.2023	Print Date 03.10.202
Odour	:	Hydrocarbon.	
Odour Threshold	:	No data available	
Pour point	:	-45 °C	
Boiling point/boiling range	:	No data available	
Flash point	:	237 °C Method: Cleveland open cup	
Fire Point	:	267 °C	
Auto-Ignition Temperature	:	No data available	
Evaporation rate	:	No data available	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Relative density	:	No data available	
Density	:	0.851 kg/l (15 °C)	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Viscosity Viscosity, kinematic	:	148 cSt (40 °C)	

Trademarks are owned or used under license.



000003000525

Version 4.1		Revision Date 03.10.2023	Print Date 03.10.2023
		20.3 cSt (100 °C)	
Flammability	:	Low fire hazard. This material must be hea will occur.	ated before ignition
Explosive properties	:	Do not pressurize, cut, weld, braze, solder expose containers to heat or sources of ig	
9.2 Other information No data available			
SECTION 10: Stability and re	acti	vity	

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Hazardous polymerisation does not occur.Stable under normal conditions.
10.4 Conditions to avoid		
Conditions to avoid	:	No data available
10.5 Incompatible materials		
Materials to avoid	:	Reactive with oxidising agents, acids, alkalis and reducing agents.

10.6 Hazardous decomposition products

Hazardous decomposition:May release COx, NOx, SOx, methacrylate monomers, smoke
and irritating vapours when heated to decomposition.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of	:	Eye contact
exposure		Ingestion
		Inhalation
		Skin contact

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity : Remarks: No data available Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

Page: 7 / 13 Petro-Canada Lubricants is a HF Sinclair brand



000003000525

sion 4.1	Revision Date 03.10.2023	Print Date 03.10.2
Acute inhalation toxicity :	Remarks: No data available	
Acute dermal toxicity :	Remarks: No data available	
Components:		
	15-30, hydrotreated neutral oil-ba	sed; Baseoil —
Acute oral toxicity :	LD50 (Rat): > 5,000 mg/kg	
Acute inhalation toxicity :	LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity :	LD50 (Rabbit): > 2,000 mg/kg	
Skin corrosion/irritation Not classified due to lack of data		
Product:		
Remarks :	No data available	
Serious eye damage/eye irritat Not classified due to lack of data		
Product:		
Remarks :	No data available	
Respiratory or skin sensitisati	on	
Skin sensitisation: Not classified Respiratory sensitisation: Not classified		
Germ cell mutagenicity		
Not classified due to lack of data		
Carcinogenicity		
Not classified due to lack of data <u>Product:</u>		
Remarks :	All components listed in Annex VI and contained in the product, have less than 3% DMSO extractables a	been shown to contain
Reproductive toxicity		
Not classified due to lack of data		
STOT - single exposure		
Not classified due to lack of data		
STOT - repeated exposure		
		_
net: lubricants.petro-canada.com/sds marks are owned or used under license		ro-Canada Lubricants is a HE Sinclair b



000003000525

	Version	4.1
--	---------	-----

Revision Date 03.10.2023

Print Date 03.10.2023

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

SECTION 12: Ecological information

12.1 Toxicity

	Product:		
	Toxicity to fish	:	Remarks: No data available
	Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
	Toxicity to algae/aquatic plants	:	Remarks: No data available
	Toxicity to microorganisms	:	Remarks: No data available
	Components:		
	Lubricating oils (petroleum) unspecified:	, C [.]	15-30, hydrotreated neutral oil-based; Baseoil —
	Toxicity to fish	:	NOEC (Fish): > 100 mg/l Exposure time: 96 h
	Toxicity to daphnia and other aquatic invertebrates	:	NOEC (Daphnia (water flea)): > 100 mg/l Exposure time: 48 h
	Toxicity to algae/aquatic plants	:	NOEC (algae): > 100 mg/l Exposure time: 72 h
12.	2 Persistence and degradabili	ity	
	Product:		
	Biodegradability	:	Remarks: No data available
12.	3 Bioaccumulative potential No data available		
12.	4 Mobility in soil		
	No data available		
12.	5 Results of PBT and vPvB as	se	ssment
	Product:		
	Assessment	:	This substance/mixture contains no components considered



000003000525

Version 4.1

Revision Date 03.10.2023

Print Date 03.10.2023

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

:	The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.
	of the person responsible for waste disposal.

SECTION 14: Transport information

14.1 UN number or ID number		
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable



000003000525

Version 4.1	Revision Date 03.10.2023	Print Date 03.10.2023
	in kulle energing to INO instruments	

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: ADR: Not Regulated ADN: Not Regulated RID: Not Regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

The components of this product are reported in the following inventories:				
DSL	:	On the inventory, or in compliance with the inventory		
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory		
		exemption.		

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Full text of H-Statements				
H304 H361f	May be fatal if swallowed Suspected of damaging f			
H412	Harmful to aquatic life wit			
Full text of other abbreviations				
Aquatic Chronic Asp. Tox. Repr.	Long-term (chronic) aqua Aspiration hazard Reproductive toxicity	tic hazard		



000003000525

Version 4.1

Revision Date 03.10.2023

Print Date 03.10.2023

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

For Copy of SDS	: Internet: lubricants.petro-canada.com/sds Order Email for packed goods: pcepackage@hfsinclair.com Order Email for bulk: pceorders@hfsinclair.com Telephone: +31 88313 0365 / +31 88313 0366
	For Product Safety Information: 1 905-491-0565

Prepared by : Product Safety: +1 905-491-0565

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.



000003000525

Version 4.1

Revision Date 03.10.2023

Print Date 03.10.2023